=> IFW: Scan as Doc Code: SRNT <= Doc Date:

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

**Serial Number:** 10|522,178

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

PALM INTRANET

Day: Monday Date: 2/27/2006

Time: 14:55:08

## **Inventor Information for 10/522178**

Inventor Name	City	State/Country	
SHIMIZU, TOSHIO	TOKYO	JAPAN	
HAKOZAKI, KATSUYA	ТОКҮО	JAPAN	
KANAI, TOSHIYUKI	ТОКУО	JAPAN	

	***************************************	************	
Search Another: Application#		r Patent#	Search
PCT /	earch or PG	G PUBS #	Search
Attorney Docket #		Search	
Bar Code #	Search		

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

	•					
JS 20060035533 A1	US- PGPUB	20060216	Wiring harness for vehicle	439/712		Yamano; Yoshiaki et al.
JS 20050269380	US- PGPUB	20051208	Stapler and cartridge	227/155		Shimizu, Toshio et al.
JS 20050224553	US- PGPUB	20051013	Staple cartridge for electric stapler	227/131	227/155	Hakozaki, Katsuya et al.
JS 20050220703 A1	US- PGPUB	20051006	Process for producing synthesis gas for the fischer-tropsch synthesis and producing apparatus thereof	423/648.1	422/188; 422/190; 422/198	Ihara, Masaru et al.
JS 20050113958 A1	US- PGPUB	20050526	Numerically controlled device	700/181	700/87	Shimizu, Toshio et al.
JS 20040211811 A1	US- PGPUB	20041028	Staple cartridge of electric stapler	227/131		Hakozaki, Katsuya et al.
JS 20040200636	US- PGPUB	20041014	Enameled wire	174/120R		Hirai, Hisayuki et al.
JS 20040195288 11	US- PGPUB	20041007	Staple detection mechanism of electric stapler	227/82	227/131	Higuchi, Kazuo et al.
JS 20030168729 11	US- PGPUB	20030911	Insulating substrate, manufacturing method thereof, and module semiconductor device with insulating substrate	257/700	257/633; 257/640; 257/703; 257/758; 257/E23.062; 257/E23.194; 438/125; 438/622; 438/724	Ishiwata, Yutaka et al
JS 20030111506 A1	US- PGPUB	20030619	Motor-driven stapler	227/131		Kanai, Toshiyuki et al.
JS 20030111504 A1	US- PGPUB	20030619	Motor-driven stapler	227/2	227/131	Kanai, Toshiyuki et al.
JS 20020066953 A1	US- PGPUB	20020606	INSULATING SUBSTRATE INCLUDING MULTILEVEL INSULATIVE CERAMIC LAYERS JOINED WITH AN INTERMEDIATE	257/700	257/668; 257/701; 257/758; 257/E23.062; 257/E23.194; 438/118; 438/123;	ISHIWATA, YUTAKA et al.

.

			LAYER		438/125	
JS 20010050302	US-	20011213	Motor operated stapler	227/155	227/131	Hakozaki,
<b>\1</b> 1	PGPUB		-			Katsuya et al.
JS 20010033262	US-	20011025	Image display apparatus	345/89		Funakoshi,
<b>1</b> 1	PGPUB		and method thereof			Akihiro et al.
JS 20010023887	US-	20010927.	Stapler	227/155	227/152	Hakozaki,
A1	PGPUB			-		Katsuya et al.
JS 20010010401	US-	20010802	Semiconductor device	257/751	257/762	Koyama,
Al	PGPUB		having a wiring layer of			Mitsutoshi et
			copper		·	al.
JS 20010004988	US-	20010628	Cartridge for a motor-	227/131		Yoshie, Toru
A1	PGPUB		operated stapler		,	et al.
JS 20010002666	US-	20010607	Switch gear and method	218/134	218/139	Ito, Yoshihiro
A1	PGPUB	2001000.	of manufacturing	.		et al.
*1	TOTOD		thereof			
JS D507729 S	USPAT	20050726	Staple cartridge	D8/49		Kishi;
JO D 301127 0	001711	20030720				Kazuhiko et
						al.
JS 6918527 B2	USPAT	20050719	Staple cartridge of	227/131	227/120;	Hakozaki;
)5 0)10321 <b>D</b> 2	OSITI	20030713	electric stapler		227/128;	Katsuya et al.
					227/155	
JS D507165 S	USPAT	20050712	Staple cartridge	D8/49		Kishi;
J3 <b>D</b> 307103 B	051711	20030712	Stupie curtifuge			Kazuhiko et
						al.
JS 6906258 B2	USPAT	20050614	Enameled wire	174/36	174/110R,	Hirai;
)5 0700 <b>2</b> 30 <b>B</b> 2	001711	2005001.	Ziidii ii i		174/120R	Hisayuki et
						al.
JS 6897396 B2	USPAT	20050524	Switch gear and method	218/120	218/140;	Ito; Yoshihiro
)0 00)/3)0 <b>D2</b>		2000002	of manufacturing	, , , , , , , , , , , , , , , , , , ,	218/154	et al.
•						Οι αι.
						ot ui.
IS 6894670 B2	USPAT	20050517	thereof	345/89		
JS 6894670 B2	USPAT	20050517	thereof Image display apparatus	345/89	345/50;	Funakoshi;
JS 6894670 B2	USPAT	20050517	thereof	345/89	345/50; 345/54;	
JS 6894670 B2	USPAT	20050517	thereof Image display apparatus	345/89	345/50; 345/54; 345/55;	Funakoshi;
JS 6894670 B2	USPAT	20050517	thereof Image display apparatus	345/89	345/50; 345/54; 345/55; 345/87;	Funakoshi;
			thereof Image display apparatus and method thereof		345/50; 345/54; 345/55; 345/87; 345/90	Funakoshi, Akihiro et al.
JS 6894670 B2  JS 6892919 B2	USPAT	20050517	thereof Image display apparatus and method thereof  Staple detection	345/89 227/2	345/50; 345/54; 345/55; 345/87; 345/90 227/131;	Funakoshi; Akihiro et al. Higuchi;
			thereof Image display apparatus and method thereof  Staple detection mechanism of electric		345/50; 345/54; 345/55; 345/87; 345/90	Funakoshi, Akihiro et al.
JS 6892919 B2	USPAT	20050517	thereof Image display apparatus and method thereof  Staple detection mechanism of electric stapler	227/2	345/50, 345/54, 345/55, 345/87, 345/90 227/131, 227/136, 227/155	Funakoshi; Akihiro et al. Higuchi;
			thereof Image display apparatus and method thereof  Staple detection mechanism of electric stapler White point adjusting		345/50; 345/54; 345/55; 345/87; 345/90 227/131; 227/136; 227/155 345/101;	Funakoshi; Akihiro et al.  Higuchi; Kazuo et al.
JS 6892919 B2	USPAT	20050517	thereof Image display apparatus and method thereof  Staple detection mechanism of electric stapler White point adjusting method, color image	227/2	345/50, 345/54, 345/55, 345/87, 345/90 227/131, 227/136, 227/155	Funakoshi; Akihiro et al.  Higuchi; Kazuo et al.  Funakoshi;
JS 6892919 B2	USPAT	20050517	Image display apparatus and method thereof  Staple detection mechanism of electric stapler  White point adjusting method, color image processing method,	227/2	345/50; 345/54; 345/55; 345/87; 345/90 227/131; 227/136; 227/155 345/101; 345/102;	Funakoshi; Akihiro et al.  Higuchi; Kazuo et al.  Funakoshi;
JS 6892919 B2	USPAT	20050517	Image display apparatus and method thereof  Staple detection mechanism of electric stapler  White point adjusting method, color image processing method, white point adjusting	227/2	345/50; 345/54; 345/55; 345/87; 345/90 227/131; 227/136; 227/155 345/101; 345/102;	Funakoshi; Akihiro et al.  Higuchi; Kazuo et al.  Funakoshi;
JS 6892919 B2	USPAT	20050517	Image display apparatus and method thereof  Staple detection mechanism of electric stapler  White point adjusting method, color image processing method, white point adjusting apparatus and liquid	227/2	345/50; 345/54; 345/55; 345/87; 345/90 227/131; 227/136; 227/155 345/101; 345/102;	Funakoshi; Akihiro et al.  Higuchi; Kazuo et al.  Funakoshi;
JS 6892919 B2	USPAT	20050517	Image display apparatus and method thereof  Staple detection mechanism of electric stapler  White point adjusting method, color image processing method, white point adjusting	227/2	345/50; 345/54; 345/55; 345/87; 345/90 227/131; 227/136; 227/155 345/101; 345/102;	Funakoshi; Akihiro et al.  Higuchi; Kazuo et al.  Funakoshi;

			having a multilayer metal film of titanium/titanium nitride/tungsten/tungsten carbide		438/646; 438/687	al.
JS 6719181 B2	USPAT	20040413	Motor-driven stapler	227/2	227/154; 227/155; 227/3; 227/4	Kanai; Toshiyuki et al.
JS 6705504 B1	USPAT	20040316	Motor-driven stapler	227/135	227/114; 227/136; 227/2	Kanai; Toshiyuki et al.
JS 6698640 B2	USPAT	20040302	Motor operated stapler	227/4	227/155	Hakozaki; Katsuya et al.
JS 6605868 B2	USPAT	20030812	Insulating substrate including multilevel insulative ceramic layers joined with an intermediate layer	257/703	174/52.4; 257/468; 257/485; 257/700; 257/701; 257/712; 257/713; 257/723; 257/731; 257/758; 257/762; 257/E23.062; 257/E23.08; 257/E23.194; 29/827; 29/830; 29/852	Ishiwata, Yutaka et al.
JS 6597063 B1	USPAT	20030722	Package for semiconductor power device and method for assembling the same	257/687	257/675; 257/706; 257/717; 257/788; 257/E23.092; 257/E23.125; 257/E23.126; 257/E23.14	Shimizu; Toshio et al.
JS 6543667 B2	USPAT	20030408	Cartridge for a motor- operated stapler	227/120	206/338, 227/131, 227/136	Yoshie; Toru et al.
JS 6484921 B2	USPAT	20021126	Stapler	227/2	227/155; 227/5; 227/6	Hakozaki, Katsuya et al.
JS 6366262 B1	USPAT	20020402	Method and apparatus for supporting multiple NPT display sessions on	345/1.2	345/1.1; 710/109; 710/263;	Amell; Steven Joseph et al.

			a single address		715/733; 715/750	
JS 6201696 B1	USPAT	20010313	Package for semiconductor power device and method for assembling the same	361/704	165/80.2; 165/80.3; 257/687; 257/706; 257/717; 257/E23.092; 257/E23.125; 257/E23.14; 361/705; 361/706; 361/707; 361/708; 361/709; 361/710; 361/710;	Shimizu; Toshio et al.
JS 6168383 B1	USPAT	20010102	Rotor blade for rotary- wing aircraft	416/228	415/119; 416/223R; 416/231B; 416/235; 416/237	Shimizu; Toshio
JS 5932235 A	USPAT	19990803	Jellied medicinal composition for oral administration	424/401	424/451; 424/464	Ninomiya; Hiroshi et al.
JS 5836502 A	USPAT	19981117	Motor driven stapler	227/131	227/120; 227/155	Kanai; Toshiyuki et al
JS 5777186 A	USPAT	19980707	Process for hydrogenating benzene in hydrocarbon oils	585/269	585/270; 585/271; 585/273; 585/274	Shimizu; Toshio
JS 5516276 A	USPAT	19960514	apparatus for molding a disc having a replaceable die	425/574	264/106; 264/107; 425/575; 425/589; 425/810	Takayama; Kazutoshi et al.
JS 5474222 A	USPAT	19951212	Motor driven stapler	227/131	227/120; 227/155	Kanai; Toshiyuki et al.
JS 5386139 A	USPAT	19950131	Semiconductor light emitting element with improved structure of groove therein	257/466	257/443; 257/446; 257/452; 257/618; 257/622;	Idei, Yasuo e al.

•

						ı
• .	•		•			
					257/79; 257/88; 257/93; 257/96; 257/99; 257/E27.12; 257/E33.049; 372/46.01; 372/50.1	
JS 5380935 A	USPAT	19950110	Process for preparing 5- aminolevulinic acid	562/567	204/157.69	Takeya, Haruhiko et al
JS 5321354 A	USPAT	19940614	Method for inspecting semiconductor devices	324/765	714/736	Ooshima, Yoshimasa et al.
JS D336336 S	USPAT	19930608	Crystallization furnace for dental prostheses	D24/176		Hakamatsuka; Yasuharu et al.
JS D335539 S	USPAT	19930511	Casting machine for dental prostheses	D24/176		Hakamatsuka; Yasuharu et al.
JS D335537 S	USPAT	19930511	Crystallization furnace for dental prostheses	D24/176		Hakamatsuka; Yasuharu et al.
JS 5087504 A	USPAT	19920211	Multi-injection molded flange with gasket in wedge shaped opening	428/167	285/336; 285/349; 285/350; 285/352; 285/910; 428/139; 428/157; 428/161;	Kanai; Toshiyuki et al.
					428/163; 428/172; 428/192; 428/451; 428/477.7; 428/57; 428/66.4	٠٠.
JS 5029745 A	USPAT	19910709	Electric stapler	227/155	227/131	Akizawa; Nobuyuki et al.
JS 5026265 A	USPAT .	19910625	Multi-injection molding machine for molding a multi-injection body	425/127	264/328.11; 264/328.7; 264/328.8; 425/130;	Kanai; Toshiyuki et al.

					425/134; 425/572; 425/574	
JS 5009355 A	USPAT	19910423	Electric stapler	227/114	227/131; 227/155; 227/85	Akizawa; Nobuyuki et al.
JS 5008060 A	USPAT	19910416	Method of molding a multi-injection molded body	264/255	264/250; 264/274; 264/296; 425/129.1	Kanai, Toshiyuki et al.
JS 4988979 A	USPAT	19910129	Fault inspection system for rotary machines	340/683	702/35; 73/660	Sasaki; Hiroaki et al.
JS 4887886 A	USPAT	19891219	Colored articles with interference layers made of a composite of silicon dioxide and silicon carbide	359/589	428/333; 428/704	Shimizu, Toshio et al
JS 4750260 A	USPAT	19880614	Thermal head method of manufacturing	29/611	29/620, 29/621, 338/308, 338/309, 347/209, 427/402, 427/404, 427/97.5	Takeno; Shozo et al.
JS 4729780 A	USPAT	19880308	Centrifugal casting device	65/302	164/114; 164/287; 164/289; 65/71	Shimizu, Toshio
JS 4680593 A	USPAT	19870714	Thermal print head	347/205	347/209	Takeno; Shozo et al.
JS 4629664 A	USPAT	19861216	Liquid fuel cell	429/23		Tsukui; Tsutomu et al.
JS 4612261 A	USPAT	19860916	Fuel cell battery using acidic electrolyte	429/13	429/23	Tsukui; Tsutomu et al.
JS 4597431 A	USPAT	19860701	Melting and pressure casting device	164/253	164/258; 164/335; 164/338.1	Hobo; Sumiya et al.
JS 4588660 A	USPAT	19860513	Fuel cell	429/35	429/37, 429/39	Shimizu; Toshio et al.
JS 4562123 A	USPAT	19851231	Liquid fuel cell	429/27	429/101; 429/30; 429/53; 429/72	Shimizu; Toshio et al.

. .

o

	•					•
3 .	•					
JS 4537840 A	USPAT	19850827	Fuel cell using organic, high-molecular weight electrolyte	429/33	429/34; 429/35	Tsukui; Tsutomu et al.
JS 4433229 A	USPAT	19840221	Electrode roll for resistance welding	219/84	219/119; 439/17	Morikawa, Yonekichi et al.
JS 4365254 A	USPAT	19821221	Two-color recording paper and method and recording apparatus utilizing _the two-color recording paper	347/172	346/135.1; 430/258	Ozawa; Masaru et al.
JS 4328977 A	USPAT	19820511	Recording paper capable of recording images in two colors	503/204	347/172; 427/145; 427/148; 428/201; 428/41.6; 428/473.5; 428/481; 428/483; 428/535; 428/913; 428/914; 503/208	Ozawa; Masaru et al.
JS 4318100 A	USPAT	19820302	Automatic ground clutter rejection in weather pulse radar system	342/26D	342/159; 342/188	Shimizu; Toshio et al.
JS 4290946 A	USPAT	19810922	Preparation of hexamethyleneimine	540/612		Takahashi; Yasunobu et al.
JS 4271416 A	USPAT	19810602	Slit type ink recording apparatus	347/55	347/44	Shimizu; Toshio et al.
JS 4251297 A	USPAT	19810217	Method for manufacturing-magnetic head using boronizing treatment	148/121	148/122; 148/279; 29/603.08; 29/603.12; 427/127; 427/252; 427/383.7	Kawabata; Hidetsugu et al.
JS 4007302 A	USPAT	19770208	Case-hardening method for carbon steel	148/278	427/249.19; 427/253; 427/399	Hashimoto; Hiroshi et al.
JS 3988515 A	USPAT	19761026	Case-hardening method for carbon steel	427/249.18	427/249.19; 427/253; 427/399; 428/457	Hashimoto; Hiroshi et al.

•

JS 3905876 A	USPAT	19750916	Electrorecording sheet	205/55	205/54; 346/135.1; 347/172; 347/199; 347/221	Yoshino; Kimiaki et al.
JS 3892593 A	USPAT	19750701	Alkaline cells	429/173	429/174; 524/509; 525/133	Ieki; Mitsuru et al.
JS 3808494 A	USPAT	19740430	FLEXIBLE CHANNEL MULTIPLIER	313/103R	252/500; 252/511; 252/514; 313/103CM; 313/105CM; 313/105R	Hayashi; Tomonao et al.
JS 3778776 A	USPAT	19731211	ELECTRONIC COMPUTER COMPRISING A PLURALITY OF GENERAL PURPOSE REGISTERS AND HAVING A DYNAMIC RELOCATION CAPABILITY	711/206		Hakozaki; Katsuya
JS 3499998 A	USPAT	19700310	MAGNETIC TRANSDUCING APPARATUS HAVING TRANSDUCER- ENGAGING DRIVE CAPSTAN WITH ELASTIC TIRE [TEXT AVAILABLE IN USOCR DATABASE]	360/130.31	226/191; 360/130.21	IEKI MITSURU et al.